

Message

From: Andrae, Bill/MKE [William.Andrae@jacobs.com]
Sent: 8/30/2021 3:00:06 PM
To: Giancarlo, Mary Beth [Giancarlo.Marybeth@epa.gov]; Klinkhamer, Christopher [Klinkhamer.Christopher@epa.gov]
CC: Reif, Marty/WDC [Marty.Reif@jacobs.com]; Skwarski, Alison/DET [Alison.Skwarski@jacobs.com]
Subject: RE: Gorge Dam - Updated Project Schedule
Attachments: Gorge Dam Project Schedule_08302021.pdf

Mary Beth and Chris – Attached is another updated schedule. I added in the Task 12 geotechnical evaluations. It pushes the schedule out a little but the Prefinal Design is still at the end of March 2022 and the Final Design is in July 2022.

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
M: +01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

From: Andrae, Bill/MKE
Sent: Tuesday, August 24, 2021 8:13 AM
To: Giancarlo, Mary Beth <giancarlo.marybeth@epa.gov>; Klinkhamer, Christopher <klinkhamer.christopher@epa.gov>
Cc: Reif, Marty/WDC <marty.reif@jacobs.com>; Skwarski, Alison/DET <Alison.Skwarski@jacobs.com>
Subject: Gorge Dam - Updated Project Schedule

Hi Mary Beth and Chris – We have the bulkhead wall field schedule finalized and I've incorporated it into the schedule. Some key dates include:

SAP Addendum submittal to EPA – August 27
SAP Conditional Approval from EPA Required – September 15
Mobilization 1 (Inwater Diver Survey and Geophysics) – September 20
Mobilization 2 (Third-party utility locate, drilling, tie rod excavation, and parallel seismic testing) – October 25
Prefinal Design – March 25, 2022
Final Design – July 1, 2022

Cheers!

Bill

Bill Andrae | Jacobs | Design Manager / Environmental Engineer
M: +01.262.366.0968 | william.andrae@jacobs.com
1610 North 2nd Street Suite 201 | Milwaukee, WI 53212 | USA

Jacobs Challenging today.
Reinventing tomorrow.

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.

ED_006436A_00020360-00001